L Number	Hits	Search Text	DB	Time stamp
12	447	(MPEG adj 6599285.PN.) or MPEG4 or (MPEG adj	USPAT;	2004/04/28 19:03
		four)	EPO;	, , , ,
	1		DERWENT;	
			IBM TDB	
13	24	((MPEG adj 6599285.PN.) or MPEG4 or (MPEG	USPAT;	2004/04/28 20:12
		adj four)) and spline	EPO;	,,
			DERWENT;	
			IBM TDB	
197	l 0	5970504.pn. and spline	USPAT;	2004/04/28 20:13
	_	The state of the s	EPO;	,,
			DERWENT;	
·			IBM TDB	
_	<u> </u>	6335985.pn.	USPAT;	2004/04/27 12:23
			EPO;	
			DERWENT;	
			IBM TDB	
_	2	6166735.pn.	USPAT;	2003/03/11 16:03
		*	EPO;	
	İ		DERWENT;	
			IBM TDB	
-	2	5884056.pn.	USPAT;	2003/03/11 16:03
		-	EPO;	
			DERWENT;	
	•		IBM TDB	
-	2	6275829.pn.	USPAT;	2003/03/11 16:04
		; 	EPO;	
			DERWENT;	
			IBM TDB	
-	2	6154771.pn.	USPAT;	2003/03/11 16:05
		*	EPO;	
	}		DERWENT;	
			IBM TDB	
-	2	6307550.pn.	USPAT;	2003/03/11 16:05
			EPO;	
	*		DERWENT;	
			IBM TDB	
-	2	6449608.pn.	USPAT;	2003/03/11 16:06
			EPO;	
		·	DERWENT;	
			IBM_TDB	
-	2	6357042.pn.	USPAT;	2003/03/11 16:09
			EPO;	
			DERWENT;	
			IBM_TDB	
- ·	179637		USPAT;	2003/03/17 14:40
		or picture\$1 or drawing\$1 or photograph\$1)	EPO;	<u> </u>
		near4 (search\$3 or seek\$3 or find\$3 or	DERWENT;	
		locat\$6 or retriev\$3)	IBM_TDB	
-	36140	· · · · · · · · · · · · · · · · · · ·	USPAT;	2003/03/11 16:30
		(trajectory or course or movement)	EPO;	
			DERWENT;	
			IBM_TDB	1
-	1126	·	USPAT;	2003/03/11 16:30
	i	model\$4)	EPO;	•
	i		DERWENT;	
-		///	IBM_TDB	0000/00/00
_	248		USPAT;	2003/03/11 16:30
		document\$1 or picture\$1 or drawing\$1 or	EPO;	
		photograph\$1) near4 (search\$3 or seek\$3 or	DERWENT;]
		find\$3 or locat\$6 or retriev\$3)) and (spline	IBM_TDB	
	7.	near2 (function or equation or model\$4))	HODAM	2002/02/11 15 25
_	73	'	USPAT;	2003/03/11 16:30
		(trajectory or course or movement)) and	EPO;	
		(spline near2 (function or equation or	DERWENT;	
_	153657	model\$4))	IBM_TDB	2004/04/27 12 2-
_	151651	, , , , , , , , , , , , , , , , , , , ,	USPAT;	2004/04/27 13:05
		(search\$3 or seek\$3 or find\$3 or locat\$6 or	EPO;]
	1	retriev\$3)	DERWENT;	
L .	.L	<u> </u>	IBM_TDB	L

	7253	(representative or characterisitic) near4 point	USPAT; EPO; DERWENT;	2003/03/18 12:29
	943	((representative or characterisitic) near4	IBM_TDB USPAT;	2003/03/11 16:36
	743	point) with (region or object or area)	EPO; DERWENT; IBM TDB	2003/03/11 10:36
-	9	(spline near2 (function or equation or model\$4)) and (((representative or characterisitic) near4 point) with (region	USPAT; EPO; DERWENT;	2003/03/11 17:39
	42783	or object or area)) spline	IBM_TDB USPAT; EPO;	2003/03/11 17:39
_	3031	spline same (frame\$1 or video)	DERWENT; IBM_TDB USPAT;	2003/03/11 17:40
			EPO; DERWENT; IBM_TDB	
-	77	<pre>(spline same (frame\$1 or video)) same (interframe\$1 or (inter adj frame\$1) or ((between or successive or adjacent) adj frame\$1))</pre>	USPAT; EPO; DERWENT;	2003/03/18 22:03
- '	. 18	1	IBM_TDB USPAT; EPO;	2003/03/17 14:02
-	539	((representative or characterisitic) near4 point) with (function or equation or model\$4)	DERWENT; IBM_TDB USPAT; EPO; DERWENT;	2003/03/11 20:01
-	102	((image\$1 or video\$1 or frame\$1 or document\$1 or picture\$1 or drawing\$1 or	IBM_TDB USPAT; EPO;	2003/03/11 20:02
-		<pre>photograph\$1) near4 (search\$3 or seek\$3 or find\$3 or locat\$6 or retriev\$3)) and (((representative or characterisitic) near4 point) with (function or equation or model\$4))</pre>	DERWENT; IBM_TDB	
-	4	("5835667" "6084589" "6219048" "6225993").PN.	USPAT	2003/03/13 13:46
-	4	5995659.pn. or 6154754.pn.	USPAT; EPO; DERWENT; IBM TDB	2003/03/13 14:13
	4	5930378.pn. or 6466731.pn.	USPAT; EPO; DERWENT;	2003/03/13 14:41
-	3414	(function or equation or model\$4) same (interframe\$1 or (inter adj frame\$1) or ((between or successive or adjacent) adj frame\$1))	IBM_TDB USPAT; EPO; DERWENT; IBM_TDB	2003/03/18 12:28
-	3	1	USPAT; EPO; DERWENT;	2003/03/17 14:05
-	179637	characterisitic) near4 point)	IBM_TDB USPAT; EPO;	2003/03/17 15:11
		near4 (search\$3 or seek\$3 or find\$3 or locat\$6 or retriev\$3)	DERWENT; IBM_TDB	
-	1397	<pre>((function or equation or model\$4) same (interframe\$1 or (inter adj frame\$1) or ((between or successive or adjacent) adj frame\$1))) and ((image\$1 or video\$1 or</pre>	USPAT; EPO; DERWENT;	2003/03/17 15:11
-		frame\$1)) and ((image\$1 or video\$1 or frame\$1 or document\$1 or picture\$1 or drawing\$1 or photograph\$1) near4 (search\$3 or seek\$3 or find\$3 or locat\$6 or	IBM_TDB	
	100	retriev\$3))	L.	

-	266	l	USPAT;	2004/04/27 13:08
-		(interframe\$1 or (inter adj frame\$1) or	EPO;	
		((between or successive or adjacent) adj frame\$1))) same ((image\$1 or video\$1 or	DERWENT; IBM TDB	
		frame\$1 or document\$1 or picture\$1 or	IBM_IDB	
		drawing\$1 or photograph\$1) near4 (search\$3		
		or seek\$3 or find\$3 or locat\$6 or		
		retriev\$3))		
-	2	6011872.pn.	USPAT;	2003/03/18 12:12
			EPO;	
			DERWENT;	
	_		IBM_TDB	
-	2	6381277.pn.	USPAT;	2003/03/18 12:20
			EPO;	
			DERWENT; IBM TDB	
_	2	5978048.pn.	USPAT;	2003/03/18 12:21
	-	33700101p	EPO;	2003,03,10 12.21
			DERWENT;	
			IBM TDB	
-	2	6055330.pn.	USPAT;	2003/03/18 12:24
			EPO;	
	†		DERWENT;	
		6277200 22	IBM_TDB	2002/02/20 20 25
-	. 2	6377309.pn.	USPAT; EPO;	2003/03/18 12:26
			DERWENT;	
			IBM TDB	
-	2	6301303.pn.	USPAT;	2003/03/18 12:27
		•	EPO;	,,
			DERWENT;	
			IBM_TDB	
-	2	6408025.pn.	USPAT;	2003/03/18 12:27
			EPO;	
			DERWENT;	
_	. 1235	(function or equation or model\$4) with	IBM_TDB USPAT;	2003/03/18 12:30
	1233	(interframe\$1 or (inter adj frame\$1) or	EPO;	2003/03/18 12:30
		((between or successive or adjacent) adj	DERWENT;	
		frame\$1))	IBM TDB	
-	54736	(represent\$5 or characteristic) near2 point	USPAT;	2003/03/18 12:31
			EPO;	
			DERWENT;	
		//5unghian an amakian an madal(4) with	IBM_TDB	0000/00/00 00 00
_	6	((function or equation or model\$4) with (interframe\$1 or (inter adj frame\$1) or	USPAT; EPO;	2003/03/18 12:32
-		((between or successive or adjacent) adj	l	İ
		frame\$1))) same ((represent\$5 or	DERWENT; IBM TDB	
		characteristic) near2 point)		
-	3306	(function or equation or model\$4) same	USPAT;	2003/03/18 22:07
		(frame\$1 or video) same (interframe\$1 or	EPO;	
		(inter adj frame\$1) or ((between or	DERWENT;	
	7.1	successive or adjacent) adj frame\$1))	IBM_TDB	0000/00/50 00 55
_	71	((function or equation or model\$4) with (point\$1) with (frame\$1 or video)) with	USPAT;	2003/03/18 22:09
	1	(interframe\$1 or (inter adj frame\$1) or	EPO; DERWENT;	
	1	((between or successive or adjacent) adj	IBM TDB	
		frame\$1))		
-	. 93	((function or equation or model\$4) with	USPAT;	2003/03/18 22:12
		(point\$1) with (frame\$1 or video)) same	EPO;	
		(interframe\$1 or (inter adj frame\$1) or	DERWENT;	
]	((between or successive or adjacent) adj	IBM_TDB	
_	2	frame\$1))	HODAM	0000/00/10 10 1
	2	4931952.pn.	USPAT; EPO;	2003/03/19 13:11
			DERWENT;	
	!		IBM TDB	
-	1	1	USPAT;	2003/03/19 13:11
		model\$4)	EPO;	_
			DERWENT;	
	L		IBM_TDB	

Page 3

Cobject or point EPO; DERWENT; IBM TDB Component Compo		7784	link\$3 with (video or frame or image) with	USPAT;	2003/03/19 21:47
Section Sect					2003,03,13 21.4,
Section					
Cobject or point) with (linear or spline) EPG, DERWENT; IBM_TDB 2003/03/19 21: DERWENT; IBM_TDB 2003/03/19 21: DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB 2003/03/21 13: EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; EP		'	(7)	_	
-	-	89			2003/03/19 21:52
Inh TDB 1087AT; EPO; DERWENT; EPO; D			(object of point) with (linear of spille)		
- 6389 link\$3 with (video or frame) with (object or point) 2003/03/19 21: 2003/03					
-	-	6389	link\$3 with (video or frame) with (object or		2003/03/19 21:48
Time TDB			point)	· ·	
72	ļ				
or point)) with (linear or spline) The content of the content of the content or point) with (video or frame) with (object or point) with (function or equation or model) The content of the content or point) with (function or equation or model) The content of the content or person of the content or person or model) The content of the content or person or model) The content or person or model) The content or person or model The content of the content or person or model The content of the content or person or model The content of the content or person or model The content of the content or person or model The content of the content or person or model The content or person or	_	72	(link\$3 with (video or frame) with (object	_	2003/03/19 21:53
136			or point)) with (linear or spline)		2003,03,13 21.33
Clink\$3 with (video or frame) with (object or point)) with (function or equation or model) USPAT; EPO; DERWENT; IBM TDB USPAT; EPO; DERWENT; EPO;			-	DERWENT;	
or point)) with (function or equation or DERWENT; IBM_TDB USPAT; EPO; DERW		126			
model DERWENT; IBM_TDB USPAT; EPO; DERWENT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT	-	136			2003/03/19 21:55
- 2 order and 6462754.pn. IBM_TDB USPAT; EPO; DERWENT;					
2 order and 6462754.pn. USPĀT; EPO; DERWENT; IBM TDB USPĀT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT;			,		
DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; Equation) same coefficient - 253 order with spline with (function or equation) same coefficient - 0 (order with spline with (function or equation)) same coefficient - 71 (order with spline with (function or equation)) same coefficient - 2 5778098.pn. - 1069 hyper\$8 with video - 2 6462754.pn. DERWENT; IBM_TDB USPAT; EPO; DERWENT; IB	-	2	order and 6462754.pn.	USPAT;	2003/03/21 13:34
1					
Coefficient and 6462754.pn. USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; EPO;	1				
DERWENT; DERWENT;	1	1	coefficient and 6462754 nn	_	2003/03/21 12:40
DERWENT; IBM TDB USPAT; EPO; DERWENT; IBM_TDB		1.		' - '	2003/03/21 13:40
- 253 order with spline with (function or equation) - 0 (order with spline with (function or equation)) same coefficient - 0 (order with spline with (function or equation)) same coefficient - 71 (order with spline with (function or equation)) same coefficient - 2 (order with spline with (function or equation)) same coefficient - 2 5778098.pn. - 1069 hyper\$8 with video - 2 6462754.pn.	1	1			
equation) equation) (order with spline with (function or equation)) same coefficient (order with spline with (function or equation)) same coefficient (order with spline with (function or equation)) same coefficient (order with spline with (function or equation)) same coefficient (order with spline with (function or equation)) same coefficient (order with spline with (function or EPO; DERWENT; IBM TDB USPAT; EPO; DERWENT; IBM TDB USPAT; EPO; DERWENT; IBM TDB USPAT; EPO; DERWENT; IBM TDB USPAT; EPO; DERWENT; IBM TDB USPAT; EPO; DERWENT; IBM TDB USPAT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT;	1			IBM_TDB	
DERWENT; IBM_TDB USPAT; EPO; DERWENT;	-	253			2003/03/21 13:42
- 0 (order with spline with (function or equation)) same coefficient	ļ		equation)		
O (order with spline with (function or equation)) same coefficient O (order with spline with (function or equation)) same coefficient O (order with spline with (function or equation)) same coefficient O (order with spline with (function or equation)) same coefficient O (order with spline with (function or epo; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT;					
equation)) same coefficient FPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; EPO; DERWENT;	_	0	(order with spline with (function or	_	2003/03/21 13:44
- 71 (order with spline with (function or equation)) same coefficient				EPO;	, , ,
- 71 (order with spline with (function or equation)) same coefficient - 2 5778098.pn. - 1069 hyper\$8 with video - 2 6462754.pn. (order with spline with (function or equation)) same coefficient EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT;					
equation)) same coefficient EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; IBM_TDB USPAT; IBM_TDB USPAT; EPO; DERWENT; EPO; DERWENT;	_	71	forder with coline with (function or		2002/02/21 12 44
DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; EPO; DERWENT;		` ' -	equation)) same coefficient	1 '	2003/03/21 13:44
TBM_TDB			04, 04		
EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT, IBM_TDB USPAT; EPO; DERWENT, IBM_TDB USPAT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT;					
DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT;	-	2	5778098.pn.		2003/08/26 12:44
- 1069 hyper\$8 with video USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT;					
- 1069 hyper\$8 with video USPAT; EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT; EPO; DERWENT;		J			
EPO; DERWENT; IBM_TDB USPAT; EPO; DERWENT;	-	1069	hyper\$8 with video		2003/11/14 17:19
- 2 6462754.pn. IBM_TDB USPAT;	-			EPO;	' '
- 2 6462754.pn. USPAT; EPO; DERWENT;					
EPO; DERWENT;	_	, ,	6462754 pp		2004/04/27 12 12
DERWENT;			0402734.pm.	1	2004/04/27 12:49
				IBM_TDB	
	-	L .		1	2004/04/27 12:23
- 22 ("5237648" "5539871" "5675752" USPAT 2004/04/27 12:	-	22		USPAT	2004/04/27 12:26
"5929849" "5930379" "5969755"	1				
"5970504" "5987509" "5999173"					
"6006241"			"6006241" "6026179" "6032156"		
"6175840" "6205485" "6229524" "6378466" "6308483" "63378441"		,			
"6278466" "6298482" "6317141" "6462754" "2002/0036640").PN.			l · · · · · · · · · · · · · · · · · · ·		
	-	20		USPAT:	2004/04/27 13:04
"5708845" "5732184" "5884056" EPO;				1	
"5929849"				DERWENT;	
"5970504" "5987509" "5999173" IBM_TDB				IBM_TDB	
"6006241" "6026179" "6032156" "6175840" "6205485" "6229524"					
"6278466"			!		
"6462754" "2002/0036640").PN.) and (spline			"6462754" "2002/0036640").PN.) and (spline		
or function or coefficient\$1)		1			

-	1908	spline with (object\$1 or region\$1 or	USPAT;	2004/04/28 19:04
		sprite\$1 or foreground or (fore adj ground))	EPO;	
_			DERWENT;	
	1,		IBM TDB	
-	161	(spline with (object\$1 or region\$1 or	USPAT;	2004/04/27 13:08
		sprite\$1 or foreground or (fore adj	EPO;	
		ground))) with (function or equation or	DERWENT;	
		model\$4)	IBM_TDB	
-	122	<u></u>	USPAT;	2004/04/28 19:03
		sprite\$1 or foreground or (fore adj	EPO;	
		ground))) with (function or equation or	DERWENT;	
		model\$4)) and (@ad<=19990128 or	IBM_TDB	
		@rlad<=19990128)		
	2	6570586.pn.	USPAT;	2004/04/28 16:49
	1.		EPO;	
			DERWENT;	
			IBM_TDB	
-	1	20010040924.pn.	USPAT;	2004/04/28 16:55
			EPO;	
			DERWENT;	
			IBM TDB	